


## Author index

- Anderson, A.D.G., Jain, P.K., Fleming, S., Poon, P., Mitchell, C.J. & MacFie, J. Evaluation of a triple sugar test of colonic permeability in humans, 171
- Andersson, I.J., Barlund, A., Nyström, H.C., Olsson, B., Skott, O., Mobini, R., Johansson, M. & Bergström, G. Reduced sympathetic responsiveness as well as plasma and tissue noradrenaline concentration in growth hormone transgenic mice, 369
- Åneman, A. *see* Broomé, M.
- Anger, Å. *see* Sand, P.
- Araki, T. *see* Muramatsu, Y.
- Arvola, L., Bertelsen, G., Hassaf, D. & Ytrehus, K. Positive inotropic and sustained anti- $\beta$ -adrenergic effect of diadenosine pentaphosphate in human and guinea pig hearts. Role of dinucleotide receptors and adenosine receptors, 277
- Aukland, K. *see* Roald, A.B.
- Axelsson, H.W. Human motor compensations for thixotropy-dependent changes in muscular resting tension after moderate joint movements, 295
- Badzyńska, B., Grzelec-Mojzesowicz, M. & Sadowski, J. Effect of exogenous angiotensin II on renal tissue nitric oxide and intrarenal circulation in anaesthetized rats, 313
- Barlund, A. *see* Andersson, I.J.
- Bärtsch, P. *see* Friedmann, B.
- Barzó, P. *see* Csete, K.
- Beltman, J.G.M., van der Vliet, M.R., Sargeant, A.J. & de Haan, A. Metabolic cost of lengthening, isometric and shortening contractions in maximally stimulated rat skeletal muscle, 179
- Bergström, G. *see* Andersson, I.J.
- Bertelsen, G. *see* Arvola, L.
- Bevilacqua, L. *see* Harper, M.-E.
- Biber, B. *see* Broomé, M.
- Billeter, R. *see* Friedmann, B.
- Bindslev, N. *see* Larsen, R.
- Bjarnegård, N., Rydén Ahlgren, Å., Sonesson, B. & Länne, T. The effect of sympathetic stimulation on proximal brachial artery mechanics in humans – differential behaviour within the length of the brachial artery?, 21
- Blangsted, A.K. *see* Rosendal, L.
- Bodoli, M. *see* Csete, K.
- Bonaventura, C., Crumbliss, A.L. & Weber, R.E. New insights into the proton-dependent oxygen affinity of Root effect haemoglobins, 245
- Borisch, S. *see* Friedmann, B.
- Bostock, H. *see* Campero, M.
- Brodin, L.-Å. *see* Sundstedt, M.
- Broomé, M., Haney, M., Häggmark, S., Johansson, G., Åneman, A. & Biber, B. Pressure-independent cardiac effects of angiotensin II in pigs, 111
- Bucht, E. *see* Lagumdzija, A.
- Campero, M., Serra, J., Bostock, H. & Ochoa, J.L. Partial reversal of conduction slowing during repetitive stimulation of single sympathetic efferents in human skin, 305
- Celis, M.E. *see* Piatti, V.
- Chamorro, V. *see* Wangenstein, R.
- Changeux, J.-P. *see* Dauger, S.
- Cohen, G. *see* Dauger, S.
- Conley, K.E. Foreword, 319
- Consolini, A.E., Quiroga, P., Yuln, G. & Volonté, M.G. Participation of Na/Ca-exchanger and sarcoplasmic reticulum in the high  $[K]_o$ -protection against ischaemia-reperfusion dysfunction in rat hearts, 121
- Crisafulli, A. *see* Pagliaro, P.
- Crumbliss, A.L. *see* Bonaventura, C.
- Csete, K., Vezekényi, Z., Dóczi, T., Papp, J.Gy., Bodoli, M. & Barzó, P. Comparison of regional vasomotor responses to acetazolamide and  $CO_2$  in rabbit cerebrum and cerebellum, measured by a hydrogen clearance method, 287
- Dauger, S., Durand, E., Cohen, G., Lagercrantz, H., Changeux, J.-P., Gaultier, C. & Gallego, J. Control of breathing in newborn mice lacking the beta-2 nAChR subunit, 205
- De Luca, B. *see* Viggiano, An.
- De Rosa, M.C. *see* Giardina, B.
- Dóczi, T. *see* Csete, K.
- Dossumbekova, A. *see* Schäfermeyer, A.
- Drew, B. & Leeuwenburgh, C. Ageing and subcellular distribution of mitochondria: role of mitochondrial DNA deletions and energy production, 333
- Durand, E. *see* Dauger, S.
- Durando, P.E. *see* Piatti, V.
- Fiorentini, C. *see* Guazzi, M.
- Fleming, S. *see* Anderson, A.D.G.
- Fredholm, B.B. *see* Schulte, G.
- French, J.P. *see* Lennon, S.L.
- Friedmann, B., Kinscherf, R., Vorwald, S., Müller, H., Kucera, K., Borisch, S., Richter, G., Bärtsch, P. & Billeter, R. Muscular adaptations to computer-guided strength training with eccentric overload, 77
- Fuccio, F. *see* Viggiano, An.
- Gallego, J. *see* Dauger, S.
- Gattullo, D. *see* Pagliaro, P.
- Gaultier, C. *see* Dauger, S.
- Giardina, B., Mosca, D. & De Rosa, M.C. The Bohr effect of haemoglobin in vertebrates: an example of molecular adaptation to different physiological requirements, 229
- Goiny, M. *see* Schulte, G.
- Gonon, A. *see* Lagumdzija, A.
- Gratzl, M. *see* Schäfermeyer, A.
- Grzelec-Mojzesowicz, M. *see* Badzyńska, B.
- Guazzi, M., Lenatti, L., Tumminello, G., Puppa, S., Fiorentini, C. & Guazzi, M.D. The behaviour of the flow-mediated brachial artery vasodilatation during orthostatic stress in normal man, 353
- Guazzi, M.D. *see* Guazzi, M.
- de Haan, A. *see* Beltman, J.G.M.
- Häggmark, S. *see* Broomé, M.
- Hagopian, K. *see* Harper, M.-E.
- Haney, M. *see* Broomé, M.
- Hansen, M.B. *see* Larsen, R.
- Harper, M.-E., Bevilacqua, L., Hagopian, K., Weindrich, R. & Ramsey, J.J. Ageing, oxidative stress, and mitochondrial uncoupling, 321
- Hassaf, D. *see* Arvola, L.
- Hedberg, P. *see* Sundstedt, M.
- Henriksen, E. *see* Sundstedt, M.
- Hyde, D.E. *see* Stocks, J.M.

- Jain, P.K. *see* Anderson, A.D.G.
- Jenkins, A.B. *see* Stocks, J.M.
- Jensen, F.B. Red blood cell pH, the Bohr effect, and other oxygenation-linked phenomena in blood O<sub>2</sub> and CO<sub>2</sub> transport, 215
- Johansson, B. *see* Schulte, G.
- Johansson, G. *see* Broomé, M.
- Johansson, M. *see* Andersson, I.J.
- Jonason, T. *see* Sundstedt, M.
- Juel, C. *see* Kristensen, J.M.
- Kato, H. *see* Muramatsu, Y.
- Kim, S. *see* Lennon, S.L.
- Kinoshita, S. *see* Yano, H.
- Kinscherf, R. *see* Friedmann, B.
- Kira, S. *see* Yano, H.
- Kjær, M. *see* Rosendal, L.
- Kristensen, J.M., Kristensen, M. & Juel, C. Expression of Na<sup>+</sup>/HCO<sub>3</sub><sup>-</sup> co-transporter proteins (NBCs) in rat and human skeletal muscle, 69
- Kristensen, M. *see* Kristensen, J.M.
- Kristiansen, J. *see* Rosendal, L.
- Kucera, K. *see* Friedmann, B.
- Kurosaki, R. *see* Muramatsu, Y.
- Lagercrantz, H. *see* Dauger, S.
- Lagumdzija, A., Ou, G., Petersson, M., Bucht, E., Gonon, A. & Pernow, Y. Inhibited anabolic effect of insulin-like growth factor-I on stromal bone marrow cells in endothelial nitric oxide synthase-knockout mice, 29
- Lamkemeyer, T. *see* Paul, R.J.
- Langberg, H. *see* Rosendal, L.
- Länne, T. *see* Bjarnegård, N.
- Larsen, R., Hansen, M.B., Bindlev, N. & Mertz-Nielsen, A. Functional characterization of muscarinic receptor subtypes in human duodenal secretion, 63
- Leeuwenburgh, C. *see* Drew, B.
- Lenatti, L. *see* Guazzi, M.
- Lennon, S.L., Quindry, J.C., French, J.P., Kim, S., Mehta, J.L. & Powers, S.K. Exercise and myocardial tolerance to ischaemia-reperfusion, 161
- Losano, G. *see* Pagliaro, P.
- Lövdahl, C. *see* Schulte, G.
- MacFie, J. *see* Anderson, A.D.G.
- Mancardi, D. *see* Pagliaro, P.
- Marcinek, D.J. Mitochondrial dysfunction measured *in vivo*, 343
- Mehta, J.L. *see* Lennon, S.L.
- Mertz-Nielsen, A. *see* Larsen, R.
- Mitchell, C.J. *see* Anderson, A.D.G.
- Mittleman, K.D. *see* Stocks, J.M.
- Mobini, R. *see* Andersson, I.J.
- Monda, M. *see* Viggiano, An.
- Moreno, J.M. *see* Wangenstein, R.
- Morgan, R.M., Patterson, M.J. & Nimmo, M.A. Acute effects of dehydration on sweat composition in men during prolonged exercise in the heat, 37
- Mosca, D. *see* Giardina, B.
- Müller, H. *see* Friedmann, B.
- Muramatsu, Y., Kurosaki, R., Kato, H. & Araki, T. Effect of pitavastatin against expression of S100 $\beta$  protein in the gerbil hippocampus after transient cerebral ischaemia, 95
- Nikinmaa, M. The Bohr effect – a discovery 100 years ago, with intensive studies about the effect of protons on haemoglobin function still going on, 213
- Nimmo, M.A. *see* Morgan, R.M.
- Nyström, H.C. *see* Andersson, I.J.
- Ochoa, J.L. *see* Campero, M.
- Olsson, B. *see* Andersson, I.J.
- Osuna, A. *see* Wangenstein, R.
- Ou, G. *see* Lagumdzija, A.
- Pagliaro, P., Penna, C., Rastaldo, R., Mancardi, D., Crisafulli, A., Losano, G. & Gattullo, D. Endothelial cytochrome P450 contributes to the acetylcholine-induced cardiodepression in isolated rat hearts, 11
- Papp, J.Gy. *see* Csete, K.
- Patterson, M.J. *see* Morgan, R.M.
- Patterson, M.J. *see* Stocks, J.M.
- Paul, R.J., Zeis, B., Lamkemeyer, T., Seidl, M. & Pirow, R. Control of oxygen transport in the microcrustacean *Daphnia*: regulation of haemoglobin expression as central mechanism of adaptation to different oxygen and temperature conditions, 259
- Penna, C. *see* Pagliaro, P.
- Pernow, Y. *see* Lagumdzija, A.
- Petersson, M. *see* Lagumdzija, A.
- Piatti, V., Celis, M.E. & Durando, P.E. The stimulatory effect of  $\alpha$ -melanotropin on progesterone release from rat granulosa cells is inhibited by interleukin-1 $\beta$  and by tumour necrosis factor- $\alpha$ , 145
- Pirow, R. *see* Paul, R.J.
- Poon, P. *see* Anderson, A.D.G.
- Powers, S.K. *see* Lennon, S.L.
- Prinz, C. *see* Schäfermeyer, A.
- Puppa, S. *see* Guazzi, M.
- Quindry, J.C. *see* Lennon, S.L.
- Quiroga, P. *see* Consolini, A.E.
- Rad, R. *see* Schäfermeyer, A.
- Ramsey, J.J. *see* Harper, M.E.
- Rastaldo, R. *see* Pagliaro, P.
- Raue, U. *see* Trappe, T.A.
- Richter, G. *see* Friedmann, B.
- Ringqvist, I. *see* Sundstedt, M.
- Roald, A.B., Tenstad, O. & Aukland, K. The effect of AVP-V<sub>1</sub> receptor stimulation on local GFR in the rat kidney, 197
- Rodríguez-Gomez, I. *see* Wangenstein, R.
- Rosendal, L., Blangsted, A.K., Kristiansen, J., Søgaard, K., Langberg, H., Sjøgaard, G. & Kjær, M. Interstitial muscle lactate, pyruvate and potassium dynamics in the trapezius muscle during repetitive low-force arm movements, measured with microdialysis, 379
- Rydén Ahlgren, Å. *see* Bjarnegård, N.
- Rydqvist, B. *see* Sand, P.
- Sachs, G. *see* Schäfermeyer, A.
- Sadowski, J. *see* Badzyńska, B.
- Sand, P., Anger, A. & Rydqvist, B. Hypotonic stress activates an intermediate conductance K<sup>+</sup> channel in human colonic crypt cells, 361
- Sargeant, A.J. *see* Beltman, J.G.M.
- Schäfermeyer, A., Gratzl, M., Rad, R., Dossumbekova, A., Sachs, G. & Prinz, C. Isolation and receptor profiling of ileal enterochromaffin cells, 53
- Schulte, G., Sommerschild, H., Yang, J., Tokuno, S., Gojny, M., Lövdahl, C., Johansson, B., Fredholm, B.B. & Valen, G. Adenosine A1 receptors are necessary for protection of the murine heart by remote, delayed adaptation to ischaemia, 133

## Author index

- Seidl, M. *see* Paul, R.J.  
 Serra, J. *see* Campero, M.  
 Sjøgaard, G. *see* Rosendal, L.  
 Skøtt, O. *see* Andersson, I.J.  
 Sjøgaard, K. *see* Rosendal, L.  
 Sommerschild, H. *see* Schulte, G.  
 Sonesson, B. *see* Bjarnegård, N.  
 Stocks, J.M., Patterson, M.J., Hyde, D.E., Jenkins, A.B., Mittleman, K.D. & Taylor, N.A.S. Effects of immersion water temperature on whole-body fluid distribution in humans, 3  
 Sundstedt, M., Hedberg, P., Jonason, T., Ringqvist, I., Brodin, L.-Å & Henriksen, E. Left ventricular volumes during exercise in endurance athletes assessed by contrast echocardiography, 45  
 Taylor, N.A.S. *see* Stocks, J.M.  
 Tenstad, O. *see* Roald, A.B.  
 Tesch, P.A. *see* Trappe, T.A.  
 Tokuno, S. *see* Schulte, G.  
 Trappe, T.A., Raue, U. & Tesch, P.A. Human soleus muscle protein synthesis following resistance exercise, 189  
 Tumminello, G. *see* Guazzi, M.  
 Valen, G. *see* Schulte, G.  
 Vargas, F. *see* Wangenstein, R.  
 Vezekényi, Z. *see* Csete, K.  
 Viggiano, Al. *see* Viggiano, An.  
 Viggiano, An., Monda, M., Viggiano, Al., Fuccio, F. & De Luca, B. Extracellular GABA in the medial hypothalamus is increased following hypocretin-1 administration, 89  
 van der Vliet, M.R. *see* Beltman, J.G.M.  
 Volonté, M.G. *see* Consolini, A.E.  
 Vorwald, S. *see* Friedmann, B.  
 Wangenstein, R., Rodríguez-Gomez, I., Moreno, J.M., Chamorro, V., Osuna, A. & Vargas, F. Role of neuronal nitric oxide synthase in response to hypertonic saline loading in rats, 389  
 Weber, R.E. *see* Bonaventura, C.  
 Weindruch, R. *see* Harper, M.E.  
 Yang, J. *see* Schulte, G.  
 Yano, H., Kinoshita, S. & Kira, S. Effects of acute moderate exercise on the phagocytosis of Kupffer cells in rats, 151  
 Ytrehus, K. *see* Arvola, L.  
 Yuln, G. *see* Consolini, A.E.  
 Zeis, B. *see* Paul, R.J.



## Subject index

- 4-acetamido-4'-isothiocyano stilbene-2,2'-disulfonic acid, 63  
 acetazolamide, 63, 287  
 acetylcholine, 11, 63  
 acromegaly, 369  
 action potential duration, 277  
 adenosine A<sub>1</sub> receptors, 133  
 adrenergic agonists, 277  
 ageing, 21  
 aldosterone, 37  
 allostery, 245  
 $\alpha$ -melanotropin, 145  
 amino acid metabolism, 189  
 angiotensin amide, 111  
 angiotensin II, 111, 313  
 antioxidant enzymes, 161  
 astrocyte, 95  
 atrial natriuretic peptide, 3  
 autonomic function, 369  
 autonomic nervous system, 353
- behaviour, 205  
 blood gas transport, 215  
 blood pressure, 389  
 body fluid regulation, 3  
 Bohr effect, 229, 245  
 Bohr-Haldane effect, 215  
 brachial artery, 21  
 breathing pattern, 205  
 bumetanide, 63
- calorie restriction, 333  
 cardiac function, 111  
 cardiodepression, 11  
 cardioplegia, 121  
 cardioprotection, 133  
 CD14, 151  
 circulation, 259  
 cold-water immersion, 3  
 conductance volumetry, 111  
 conduction velocity, 305  
 contractile force, 277  
 contrast echocardiography, 45  
 crypt cells, 361  
 cytochrome P450, 11
- dehydration, 37  
 diadenosine pentaphosphate, 277  
 diastolic function, 111  
 4-diphenylacetoxy-N-methylpiperidine methiodide, 63  
 diphenylamine-2-carboxylate, 63  
 distensibility, 21  
 duodenum, 63
- electromyogram, 295  
 electromyography, 379  
 electron transport chain, 343
- endothelial NOS, 29  
 endothelium, 353  
 endotoxin, 151  
 endurance exercise, 161  
 enterochromaffin, 53  
 epithelial transport, 63  
 erythrocyte, 215  
 exercise, 37, 379
- fibre types, 77  
 fluctuations, 245  
 force, 179
- gene, 259  
 gene expression, 53, 77  
 gerbil, 95  
 glomerular filtration rate, 197  
 glycogen utilization, 189  
 granulosa cell culture, 145  
 growth hormone, 369  
 guinea pig, 277
- haemoglobin, 215, 229, 245  
 head-up tilting, 353  
 heart, 161  
 heart rate, 369  
 heat, 37  
 heat shock proteins, 161  
 high-energy phosphate consumption, 179  
 history-dependency, 295  
 human, 305  
 human colon, 361  
 human osteosarcoma cells, 29  
 hydrogen clearance method, 287  
 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor, 95  
 hypercapnia, 287  
 hypertonic saline load, 389  
 hypocretin 1, 89  
 hypotonic stress, 361  
 hypoxia, 259
- immunohistochemistry, 95  
 insulin-like growth factor-I, 29  
 interleukin-1 $\beta$ , 145  
 intermyofibrillar mitochondria, 333  
 intestinal permeability, 171  
 intracellular Ca<sup>2+</sup>, 361  
 intracellular fluid, 3  
 intrarenal circulation, 313  
 ischaemia/reperfusion, 133  
 ischaemia-reperfusion, 121  
 isometric, 295
- KCNN4, 361
- lactulose, 171  
 left ventricular dynamics, 45

- liver, 151
- lower body negative pressure, 21
- macrophage, 151
- mamba toxins, 63
- maximal strength, 77
- medial gastrocnemius muscle, 179
- membrane interaction, 215
- metabolism, 259, 333, 379
- microdialysis, 89
- microglia, 95
- mitochondria, 321
- mitochondrial coupling, 343
- mitogen-activated protein kinases, 133
- molecular adaptation, 229
- motor control, 295
- muscle cross-sectional area, 77
- myocardium, 11
- myofibres, 333
- Na/Ca-exchanger, 121
- NBC1, 69
- NBC4, 69
- negative inotropic effect, 11
- nerve fibres, 305
- neuroendocrine, 53
- neuronal nitric oxide synthase, 389
- 7-nitroindazole, 389
- nitroprusside, 111
- N<sup>ω</sup>-nitro-L-arginine methyl ester, 389
- orexin A, 89
- ovarian steroidogenesis, 145
- oxidation, 245
- oxidative phosphorylation, 321, 343
- oxygenation, 245
- oxygen-sensitive ion transport, 215
- P/O, 343
- papillary muscle, 277
- parasympathetic nervous system, 369
- parathyroid hormone, 29
- parathyroid hormone-related protein, 29
- PCr/ATP ratio, 121
- perceived exertion, 379
- pH regulation, 69
- phagocytosis, 151
- phosphocreatine, 179
- plasma volume, 3
- plethysmography, 205
- potassium channel, 361
- pre-conditioning, 133
- progesterone, 145
- proton leak, 321
- proton-binding, 245
- purinergic receptor, 277
- rabbits, 287
- reactive oxygen species, 161, 321
- regional vasomotor response, 287
- renal tissue nitric oxide, 313
- resistance training, 77
- rhamnose, 171
- Root effect, 245
- sarcoplasmic reticulum, 121
- serotonin, 53
- skeletal muscle, 295
- skin, 305
- sleep, 205
- sodium/bicarbonate transport, 69
- soleus muscle, 189
- stable isotopes, 189
- stiffness, 21
- strength endurance capacity, 77
- stroke volume, 45
- stromal bone marrow cells, 29
- subsarcolemmal mitochondria, 333
- subunit, 259
- sucralose, 171
- sulfhydryl reactivity, 245
- superoxide, 321
- sweat composition, 37
- sweat gland, 37
- swine, 111
- sympathetic, 305
- sympathetic nervous system, 369
- sympathetic stimulation, 21
- systolic function, 111
- tempol, 313
- thixotropy, 295
- tumour necrosis factor- $\alpha$ , 145, 151
- uncoupling protein, 321
- unmyelinated, 305
- V<sub>1</sub> receptor, 197
- vasodilatation, 353
- vasopressin, 197
- ventilation, 259
- vertebrates, 229
- weight lifting, 189



